

FLU BITES

Oregon's Weekly Surveillance Report for Influenza and other Respiratory Viruses

Published May 6, 2011



Summary

- The level of influenza-like illness (ILI) detected by Oregon's outpatient ILI network was below the baseline in Week 17, although slightly increased from previous weeks.
- One influenza-associated hospitalization* was reported in Week 17.
- Circulating influenza types/subtypes identified so far this season include influenza B, influenza A/H3, and 2009 H1N1.
- RSV season began officially in Oregon the week ending January 1, 2011. RSV percent positivity** for the week ending April 30, 2011 was 7%, marking the third consecutive week in which percent positivity was below the 10% threshold and thus the end of RSV season.

* Based on hospitalization surveillance in Clackamas, Multnomah, and Washington counties only.


**Percent positivity based on data from Oregon's RSV Laboratory Surveillance System (number of positive RSV tests ÷ number of RSV tests performed)

Laboratory-Confirmed Influenza Associated Hospitalizations

Laboratory-confirmed influenza-associated hospitalizations are reported by hospitals in the Portland Tri-County area (Clackamas, Multnomah, and Washington counties) for all ages where patients are admitted to the hospital and have tested positive for influenza by rapid test, direct or indirect fluorescent antibody test, culture, PCR, or serology.

Two hundred thirty-one influenza-associated hospitalizations (one hundred ninety-nine adults and thirty-two pediatric) have been reported since we began conducting official influenza surveillance this season; all have occurred since Week 50. The most common influenza subtypes identified from these patients include A/H3 (ninety-four patients), 2009 H1N1 (seventy-eight patients) and influenza B (three patients).

We encourage submission of specimens to the Oregon State Public Health Laboratory for patients hospitalized with influenza-like illness in the Portland Tri-County area, even if rapid influenza tests are negative or have not been performed. To report an influenza-associated hospitalization in these three counties, please contact Matt Laidler at 971-673-0288 or email Matthew.Laidler@state.or.us.



Outpatient Influenza-like Illness (ILI)

ILINet: Oregon’s Outpatient Influenza-like Illness Surveillance Network


Oregon’s outpatient influenza-like illness network is comprised of 30 voluntary healthcare providers from all across Oregon who report the number of patients with influenza-like illness (ILI) as well as total number of patient visits for each week during the surveillance season.

ILI is defined as fever ($\geq 100^{\circ}\text{F}$) and cough or sore throat. The number of patient visits and the percent of patients with ILI for the last 4 weeks are presented below. The average ILI reported during influenza weeks (defined as percent positive for influenza at the Oregon State Public Health Laboratory $>10\%$) over the previous three seasons is 3.52% (although this figure is skewed upward by the H1N1 pandemic of 2009). The percent of outpatients seen with ILI for Week 17 was 1.11%, which is below the seasonal average and represents a slight increase from previous weeks.

So far this season the greatest percentage of patients with ILI during one week was 2.56%, seen during the week ending February 19th.

	Number of Patients Visits	Percent of Patients with ILI	Number of Provider Reports
Week ending April 30th	2888	1.11%	12
Week ending April 23rd	3075	1.01%	13
Week ending April 16th	2815	1.07%	12
Week ending April 9th	3769	1.01%	18


Oregon Outpatient Influenza-Like Illness Surveillance Network (ILINet) 06MAY11
Percent of Outpatients with Influenza-like Illness (ILI)
 2007-2008, 2008-2009, 2009-2010, 2010-2011



OCHIN Influenza-like Illness Surveillance

Oregon Public Health Division also receives discharge diagnoses data from OCHIN Inc., a collaborative comprising 22 member organizations of federally qualified health centers (FQHC) and rural health centers in Oregon, representing 103 clinics throughout the state. OCHIN reports of ILI are one week behind our other syndromic surveillance system reports. The percent of OCHIN patients seen with ILI was 0.91% and 0.77% during weeks 15 and 16, respectively.

Oregon Outpatient Influenza-Like Illness (ILI) Surveillance




Laboratory Surveillance

The Oregon State Public Health Laboratory (OSPHL) is performing influenza typing and sub-typing by PCR on specimens from the following groups of patients:

- Patients seen by Oregon Sentinel providers (ILINet & Influenza Incidence Surveillance Project (IISP)).
- Patients hospitalized with influenza-like illness in the Portland Tri-County area (Multnomah, Clackamas and Washington counties) as part of a CDC-funded study. We encourage submission of specimens even if rapid influenza tests are negative or have not been performed.
- Patients identified as part of an outbreak of respiratory illness. Please report clusters of respiratory illness to the on-call ACDP epidemiologist (971-673-1111), who will then make decisions about the need for testing at the OSPHL.

To date, all isolates of influenza tested by the OSPHL are similar to viruses chosen for the 2010-2011 influenza vaccine.

**Number and Percent Positive for Influenza by PCR
OSPHL 2010-2011**



**Oregon State Public Health Laboratory
Specimen Type and Subtype, 2010-11**

	Cumulative since September 1st, 2010					Current Week (Apr. 24-30, 2011)
	ILINet N (%)	IISP N %	Hospitalized* or Died N (%)	Outbreaks N (%)	Total N (%)	Total N (%)
Influenza A						
2009 pH1N1	10 (18)	32 (10)	78 (41)	0	120 (19)	0
Seasonal A (H1)	0	0	0	0	0	0
Seasonal A (H3)	6 (11)	10 (3)	94 (49)	5 (16)	115 (18)	0
Not subtyped	0	0	8 (4)	0	8 (1)	0
Influenza B	3 (5)	11 (3)	3 (2)	1 (3)	18 (3)	1 (8)
Respiratory Syncytial Virus (RSV)	1 (2)	21 (6)	1 (0.5)	3 (10)	26 (4)	0
Parainfluenza type 1	0	1 (0.3)	0	0	1 (0.2)	0
Parainfluenza type 2	0	6 (2)	0	0	6 (1)	0
Parainfluenza type 3	2 (4)	13 (4)	0	0	15 (2)	0
Adenovirus	1 (2)	8 (2)	0	0	9 (1)	0
Pending	0	0	1 (0.5)	3 (10)	4 (1)	1 (8)
Undetected	36 (62)	241 (70)	6 (3)	19 (61)	301 (48)	10 (83)
Total Tested	58	344	191	31	624	12

*Although we make our best effort to only include hospitalized pts in our lab surveillance., submissions for hospitalized cases include some ER visits

For additional information on influenza testing guidelines for the 2010-11 season, please see: http://public.health.oregon.gov/DiseasesConditions/CommunicableDisease/ReportingCommunicableDisease/ReportingGuidelines/Documents/test_guideline2010.pdf

Additional resources:

For more information on influenza in Oregon please see: <http://www.flu.oregon.gov/>.

Oregon influenza surveillance:

<http://public.health.oregon.gov/DiseasesConditions/CommunicableDisease/DiseaseSurveillanceData/Influenza/Pages/surveil.aspx>

CDC Weekly Surveillance Report: <http://www.cdc.gov/flu/weekly/>