

Weekly deaths in Oregon

The graphics and tables presented here represent provisional mortality data for Oregon through the first 23 weeks of 2020, as well as three-year and five-year averages. Week 23 ended on June 1.

Overall mortality exceeded three- and five-year historical averages by as much as 13% during weeks 12 through 18 of 2020, overlapping with peaks of COVID-19 incidence in Oregon. Then, overall weekly mortality roughly equaled historical averages in weeks 19 and 20 at a time when reported COVID-19 incidence began to decline. At their highest level, weekly deaths attributed to COVID-19 in 2020 accounted for approximately 20% of the observed excess over historical averages. Mortality again increased notably and unexpectedly over historical averages in week 21 without immediately apparent explanation and, though lower than week 21, remained higher than historical average in week 22. Relatively few COVID-19 deaths were recorded during weeks 21 and 22. Occasional spikes will be observed due to random variation. If excess mortality is sustained, this can be further explored with cause of death information when that becomes sufficiently complete, typically at least two months after an interval of interest.


[Click to show data notes](#)

Choose period for historical comparison:

 Three-year average (2017-2019)
 Five-year average (2015-2019)

[Click to open data table](#)

Weekly deaths in Oregon



UPDATED 6/16/2020

*2020 data, including COVID-19 deaths, are provisional and subject to change.

**Current-year data lag about one week behind due to the time required for death certificates to be processed.

Weekly deaths in Oregon

This table shows weekly deaths for 2020 and for historical averages.
COVID-19 deaths are also shown.



Center for Health Statistics

	2020 deaths	Average 2017-2019	Average 2015-2019	COVID-19 deaths
Week 23	665	667	668	6
Week 22	726	679	677	9
Week 21	767	706	688	6
Week 20	700	687	690	10
Week 19	709	694	703	21
Week 18	712	703	683	14
Week 17	762	687	689	22
Week 16	757	709	709	19
Week 15	755	705	691	22
Week 14	801	736	711	20
Week 13	760	718	713	13
Week 12	798	743	728	4
Week 11	740	774	758	2
Week 10	767	754	743	0
Week 9	745	719	710	0
Week 8	730	738	720	0
Week 7	786	735	731	0
Week 6	731	755	757	0
Week 5	727	711	713	0
Week 4	758	774	762	0
Week 3	765	808	770	0
Week 2	757	834	792	0

UPDATED 6/16/2020

* 2020 data, including COVID-19 deaths, are provisional and subject to change.


** Current-year data lag about one week behind due to the time required for death certificates to be processed.

The graphics and tables presented here represent provisional mortality data for Oregon through the first 23 weeks of 2020, as well as three-year and five-year averages. Week 23 ended on June 7.


During a time when overall mortality exceeded historical averages (weeks 12-17), in-hospital deaths initially exceeded but then roughly tracked or fell below historical averages. Meanwhile, home deaths, home hospice deaths, and residential institution deaths generally exceeded historical averages. During weeks 21 and 22, overall mortality was higher than historical averages, apparently comprised of excesses in home and home hospice deaths.

Click to show data notes	Choose period for historical comparison: <input type="radio"/> Three-year average (2017-2019) <input checked="" type="radio"/> Five-year average (2015-2019)	Click to open data table
--	--	--


Place of death: Hospital




Place of death: Home hospice




Place of death: Home




Place of death: Residential institution




Place of death: Nursing home



Place of death: Hospice facility



Place of death: Other and unknown



UPDATED 6/16/2020

* 2020 data are provisional and subject to change.

** Current-year data lag about one week behind due to the time required for death certificates to be processed.

Place summary

		2020	% 2020	Average 2017-2019	% Average 2017-2019	Average 2015-2019	% Average 2015-2019
Week 23	Total	665	100%	667	100%	668	100%
	Hospital	181	27%	185	28%	187	28%
	Home hospice	162	24%	167	25%	159	24%
	Home	111	17%	105	16%	109	16%
	Residential institution	94	14%	103	15%	107	16%
	Nursing home	55	8%	56	8%	54	8%
	Hospice facility	16	2%	18	3%	17	3%
	Other/unknown	46	7%	33	5%	34	5%
Week 22	Total	726	100%	679	100%	677	100%
	Hospital	161	22%	183	27%	184	27%
	Home hospice	200	28%	162	24%	168	25%
	Home	142	20%	97	14%	96	14%
	Residential institution	97	13%	110	16%	109	16%
	Nursing home	56	8%	66	10%	63	9%
	Hospice facility	13	2%	20	3%	19	3%
	Other/unknown	57	8%	41	6%	37	6%
Week 21	Total	767	100%	706	100%	688	100%
	Hospital	186	24%	199	28%	194	28%
	Home hospice	220	29%	164	23%	161	23%
	Home	145	19%	100	14%	100	15%
	Residential institution	102	13%	116	16%	114	17%
	Nursing home	38	5%	65	9%	64	9%
	Hospice facility	13	2%	26	4%	23	3%
	Other/unknown	63	8%	36	5%	33	5%
Week 20	Total	700	100%	687	100%	690	100%
	Hospital	162	23%	199	29%	196	28%
	Home hospice	189	27%	172	25%	175	25%
	Home	114	16%	95	14%	100	15%
	Residential institution	129	18%	105	15%	103	15%
	Nursing home	43	6%	55	8%	57	8%
	Hospice facility	13	2%	21	3%	21	3%
	Other/unknown	50	7%	41	6%	38	6%
Week 19	Total	709	100%	694	100%	703	100%
	Hospital	169	24%	199	29%	197	28%
	Home hospice	187	26%	169	24%	174	25%
	Home	138	19%	112	16%	112	16%
	Residential institution	102	14%	111	16%	109	16%
	Nursing home	52	7%	53	8%	63	9%
	Hospice facility	20	3%	18	3%	18	3%
	Other/unknown	41	6%	31	5%	30	4%
Week 18	Total	712	100%	703	100%	683	100%
	Hospital	160	22%	215	31%	206	30%
	Home hospice	201	28%	150	21%	151	22%
	Home	139	20%	112	16%	103	15%
	Residential institution	112	16%	102	14%	104	15%
	Nursing home	46	6%	65	9%	65	9%
	Hospice facility	18	3%	24	3%	21	3%
	Other/unknown	36	5%	35	5%	34	5%
Week 17	Total	762	100%	687	100%	689	100%
	Hospital	195	26%	182	26%	185	27%
	Home hospice	201	26%	155	23%	161	23%
	Home	133	17%	122	18%	114	17%
	Residential institution	110	14%	110	16%	109	16%
	Nursing home	63	8%	60	9%	63	9%
	Hospice facility	22	3%	24	4%	24	3%
	Other/unknown	38	5%	34	5%	33	5%

Place summary

		2020	% 2020	Average 2017-2019	% Average 2017-2019	Average 2015-2019	% Average 2015-2019
Week 16	Total	757	100%	709	100%	709	100%
	Hospital	187	25%	187	26%	192	27%
	Home hospice	191	25%	182	26%	176	25%
	Home	142	19%	112	16%	110	16%
	Residential institution	126	17%	111	16%	109	15%
	Nursing home	57	8%	52	7%	60	9%
	Hospice facility	16	2%	22	3%	21	3%
	Other/unknown	38	5%	42	6%	41	6%
Week 15	Total	755	100%	705	100%	691	100%
	Hospital	182	24%	195	28%	186	27%
	Home hospice	212	28%	166	24%	163	24%
	Home	140	19%	110	16%	108	16%
	Residential institution	119	16%	116	17%	118	17%
	Nursing home	46	6%	56	8%	59	9%
	Hospice facility	18	2%	19	3%	17	2%
	Other/unknown	38	5%	42	6%	40	6%
Week 14	Total	801	100%	736	100%	711	100%
	Hospital	199	25%	207	28%	201	28%
	Home hospice	213	27%	188	26%	174	24%
	Home	131	16%	111	15%	113	16%
	Residential institution	122	15%	114	16%	106	15%
	Nursing home	66	8%	66	9%	67	9%
	Hospice facility	17	2%	21	3%	19	3%
	Other/unknown	53	7%	29	4%	32	4%
Week 13	Total	760	100%	718	100%	713	100%
	Hospital	213	28%	210	29%	204	29%
	Home hospice	188	25%	167	23%	170	24%
	Home	134	18%	117	16%	112	16%
	Residential institution	125	16%	104	14%	111	16%
	Nursing home	51	7%	62	9%	61	9%
	Hospice facility	14	2%	21	3%	21	3%
	Other/unknown	35	5%	37	5%	34	5%
Week 12	Total	798	100%	743	100%	728	100%
	Hospital	241	30%	211	28%	205	28%
	Home hospice	186	23%	176	24%	173	24%
	Home	146	18%	117	16%	117	16%
	Residential institution	111	14%	118	16%	117	16%
	Nursing home	51	6%	66	9%	63	9%
	Hospice facility	13	2%	20	3%	19	3%
	Other/unknown	50	6%	35	5%	34	5%
Week 11	Total	740	100%	774	100%	758	100%
	Hospital	221	30%	215	28%	217	29%
	Home hospice	186	25%	171	22%	170	22%
	Home	124	17%	130	17%	121	16%
	Residential institution	115	16%	123	16%	121	16%
	Nursing home	41	6%	69	9%	72	9%
	Hospice facility	23	3%	25	3%	24	3%
	Other/unknown	30	4%	42	5%	34	5%
Week 10	Total	767	100%	754	100%	743	100%
	Hospital	201	26%	219	29%	215	29%
	Home hospice	181	24%	164	22%	170	23%
	Home	133	17%	128	17%	120	16%
	Residential institution	126	16%	120	16%	114	15%
	Nursing home	68	9%	70	9%	72	10%
	Hospice facility	21	3%	23	3%	21	3%
	Other/unknown	37	5%	30	4%	31	4%

Place summary

	2020	% 2020	Average 2017-2019	% Average 2017-2019	Average 2015-2019	% Average 2015-2019
Week 9 Total	745	100%	719	100%	710	100%
Hospital	207	28%	217	30%	206	29%
Home hospice	171	23%	168	23%	164	23%
Home	119	16%	119	17%	119	17%
Residential institution	119	16%	103	14%	107	15%
Nursing home	55	7%	64	9%	64	9%
Hospice facility	25	3%	16	2%	16	2%
Other/unknown	49	7%	32	4%	33	5%
Week 8 Total	730	100%	738	100%	720	100%
Hospital	214	29%	220	30%	210	29%
Home hospice	172	24%	166	22%	167	23%
Home	132	18%	114	15%	108	15%
Residential institution	109	15%	127	17%	122	17%
Nursing home	59	8%	56	8%	59	8%
Hospice facility	17	2%	21	3%	20	3%
Other/unknown	27	4%	34	5%	34	5%
Week 7 Total	786	100%	735	100%	731	100%
Hospital	229	29%	203	28%	199	27%
Home hospice	193	25%	178	24%	176	24%
Home	115	15%	112	15%	113	15%
Residential institution	126	16%	117	16%	119	16%
Nursing home	62	8%	67	9%	68	9%
Hospice facility	25	3%	23	3%	21	3%
Other/unknown	36	5%	34	5%	35	5%
Week 6 Total	731	100%	755	100%	757	100%
Hospital	215	29%	226	30%	223	29%
Home hospice	183	25%	173	23%	175	23%
Home	134	18%	116	15%	119	16%
Residential institution	97	13%	124	16%	117	15%
Nursing home	49	7%	68	9%	72	9%
Hospice facility	16	2%	18	2%	20	3%
Other/unknown	37	5%	30	4%	30	4%
Week 5 Total	727	100%	711	100%	713	100%
Hospital	215	30%	214	30%	212	30%
Home hospice	172	24%	168	24%	169	24%
Home	108	15%	106	15%	108	15%
Residential institution	120	17%	110	16%	114	16%
Nursing home	49	7%	61	9%	62	9%
Hospice facility	23	3%	23	3%	20	3%
Other/unknown	40	6%	28	4%	28	4%
Week 4 Total	758	100%	774	100%	762	100%
Hospital	199	26%	240	31%	231	30%
Home hospice	194	26%	167	22%	168	22%
Home	134	18%	129	17%	128	17%
Residential institution	115	15%	116	15%	113	15%
Nursing home	55	7%	67	9%	70	9%
Hospice facility	26	3%	18	2%	18	2%
Other/unknown	35	5%	37	5%	34	4%
Week 3 Total	765	100%	808	100%	770	100%
Hospital	228	30%	240	30%	231	30%
Home hospice	184	24%	181	22%	167	22%
Home	122	16%	135	17%	124	16%
Residential institution	122	16%	124	15%	122	16%
Nursing home	51	7%	71	9%	73	9%
Hospice facility	21	3%	23	3%	20	3%
Other/unknown	37	5%	34	4%	34	4%

Place summary

		2020	% 2020	Average 2017-2019	% Average 2017-2019	Average 2015-2019	% Average 2015-2019
Week 2	Total	757	100%	834	100%	792	100%
	Hospital	229	30%	251	30%	233	29%
	Home hospice	182	24%	180	22%	168	21%
	Home	129	17%	140	17%	132	17%
	Residential institution	104	14%	129	16%	129	16%
	Nursing home	50	7%	71	9%	71	9%
	Hospice facility	16	2%	25	3%	23	3%
	Other/unknown	47	6%	37	4%	35	4%