

Weekly deaths in Oregon

This table shows weekly deaths for 2020 and for historical averages. COVID-19 deaths are also shown.



Center for Health Statistics

| | | 2020 deaths | Average 2017-2019 | Excess deaths (over 3-yr average) | Average 2015-2019 | Excess deaths (over 5-yr average) | COVID-19 deaths |
|----------------|---------------|---------------|-------------------|--------------------------------------|-------------------|--------------------------------------|-----------------|
| Total | | 32,912 | 30,864 | 2,048 | 30,470 | 2,442 | 746 |
| Week 45 | 11/2 - 11/8 | 825 | 717 | 108 | 701 | 124 | 32 |
| Week 44 | 10/26 - 11/1 | 759 | 680 | 79 | 674 | 85 | 25 |
| Week 43 | 10/19 - 10/25 | 792 | 697 | 95 | 678 | 114 | 30 |
| Week 42 | 10/12 - 10/18 | 727 | 720 | 7 | 697 | 30 | 37 |
| Week 41 | 10/5 - 10/11 | 747 | 700 | 47 | 692 | 55 | 27 |
| Week 40 | 9/28 - 10/4 | 716 | 684 | 32 | 677 | 39 | 24 |
| Week 39 | 9/21 - 9/27 | 745 | 685 | 60 | 679 | 66 | 17 |
| Week 38 | 9/14 - 9/20 | 776 | 652 | 124 | 652 | 124 | 20 |
| Week 37 | 9/7 - 9/13 | 749 | 657 | 92 | 653 | 96 | 25 |
| Week 36 | 8/31 - 9/6 | 724 | 641 | 83 | 647 | 77 | 29 |
| Week 35 | 8/24 - 8/30 | 732 | 665 | 67 | 648 | 84 | 28 |
| Week 34 | 8/17 - 8/23 | 777 | 642 | 135 | 649 | 128 | 32 |
| Week 33 | 8/10 - 8/16 | 782 | 670 | 112 | 666 | 116 | 35 |
| Week 32 | 8/3 - 8/9 | 775 | 648 | 127 | 632 | 143 | 32 |
| Week 31 | 7/27 - 8/2 | 731 | 678 | 53 | 662 | 69 | 36 |
| Week 30 | 7/20 - 7/26 | 728 | 657 | 71 | 653 | 75 | 31 |
| Week 29 | 7/13 - 7/19 | 747 | 663 | 84 | 673 | 74 | 30 |
| Week 28 | 7/6 - 7/12 | 718 | 677 | 41 | 663 | 55 | 19 |
| Week 27 | 6/29 - 7/5 | 761 | 664 | 97 | 665 | 96 | 21 |
| Week 26 | 6/22 - 6/28 | 678 | 660 | 18 | 668 | 10 | 17 |
| Week 25 | 6/15 - 6/21 | 742 | 689 | 53 | 691 | 51 | 10 |
| Week 24 | 6/8 - 6/14 | 756 | 681 | 75 | 644 | 112 | 18 |
| Week 23 | 6/1 - 6/7 | 671 | 667 | 4 | 668 | 3 | 7 |
| Week 22 | 5/25 - 5/31 | 728 | 679 | 49 | 677 | 51 | 9 |
| Week 21 | 5/18 - 5/24 | 766 | 706 | 60 | 688 | 78 | 7 |
| Week 20 | 5/11 - 5/17 | 699 | 687 | 12 | 690 | 9 | 10 |
| Week 19 | 5/4 - 5/10 | 709 | 694 | 15 | 703 | 6 | 22 |
| Week 18 | 4/27 - 5/3 | 714 | 703 | 11 | 683 | 31 | 14 |
| Week 17 | 4/20 - 4/26 | 763 | 687 | 76 | 689 | 74 | 22 |
| Week 16 | 4/13 - 4/19 | 757 | 709 | 48 | 709 | 48 | 19 |
| Week 15 | 4/6 - 4/12 | 757 | 705 | 52 | 691 | 66 | 22 |
| Week 14 | 3/30 - 4/5 | 800 | 736 | 64 | 711 | 89 | 20 |
| Week 13 | 3/23 - 3/29 | 760 | 718 | 42 | 713 | 47 | 13 |
| Week 12 | 3/16 - 3/22 | 798 | 743 | 55 | 728 | 70 | 4 |
| Week 11 | 3/9 - 3/15 | 740 | 774 | -34 | 758 | -18 | 2 |
| Week 10 | 3/2 - 3/8 | 767 | 754 | 13 | 743 | 24 | 0 |
| Week 9 | 2/24 - 3/1 | 745 | 719 | 26 | 710 | 35 | 0 |
| Week 8 | 2/17 - 2/23 | 730 | 738 | -8 | 720 | 10 | 0 |
| Week 7 | 2/10 - 2/16 | 786 | 735 | 51 | 731 | 55 | 0 |
| Week 6 | 2/3 - 2/9 | 731 | 755 | -24 | 757 | -26 | 0 |
| Week 5 | 1/27 - 2/2 | 726 | 711 | 15 | 713 | 13 | 0 |
| Week 4 | 1/20 - 1/26 | 757 | 774 | -17 | 762 | -5 | 0 |
| Week 3 | 1/13 - 1/19 | 764 | 808 | -44 | 770 | -6 | 0 |
| Week 2 | 1/6 - 1/12 | 757 | 834 | -77 | 792 | -35 | 0 |

UPDATED 11/17/2020

* 2020 data, including COVID-19 deaths, are provisional and subject to change.

** Current-year data lag about one week behind due to the time required for death certificates to be processed.

Weekly deaths in Oregon

Center for Health Statistics

The graphics and tables presented here represent provisional mortality data for Oregon through the first 45 weeks of 2020, as well as three-year and five-year averages. Week 45 ended on November 8.

Oregon’s weekly deaths have exceeded historical averages since mid-March, and have exceeded the statistically significant thresholds for excess mortality generated by the National Center for Health Statistics for 11 weeks since that time. During the same period, deaths nationwide have consistently exceeded the NCHS thresholds.* In Week 45, deaths attributed to COVID-19 accounted for 26% of the observed excess over the five-year historical average for Week 45 in Oregon. Since mid-March, deaths attributed to COVID-19 account for 31% of the observed excess over the five-year historical average for that period.

*Available at https://www.cdc.gov/nchs/nvss/vsrr/covid19/excess_deaths.htm#dashboard.

Click to show data notes


Choose period for historical comparison:

Three-year average (2017-2019)

Five-year average (2015-2019)

Click to open data table

Weekly deaths in Oregon



UPDATED 11/17/2020

*2020 data, including COVID-19 deaths, are provisional and subject to change.

**Current-year data lag about one week behind due to the time required for death certificates to be processed.


The graphics and tables presented here represent provisional mortality data for Oregon through the first 45 weeks of 2020, as well as three-year and five-year averages. Week 45 ended on November 8.

Higher than average home deaths and home hospice deaths account for much of the recent differences between overall mortality and historical averages. Oregon has exceeded the statistically significant thresholds for excess mortality generated by the National Center for Health Statistics for 11 weeks in 2020, while deaths nationwide have consistently exceeded the NCHS thresholds.*


*Available at https://www.cdc.gov/nchs/nvss/vsrr/covid19/excess_deaths.htm#dashboard.

| | | |
|--------------------------|--|--------------------------|
| Click to show data notes | Choose period for historical comparison: <input type="radio"/> Three-year average (2017-2019) <input checked="" type="radio"/> Five-year average (2015-2019) | Click to open data table |
|--------------------------|--|--------------------------|


Place of death: Hospital




Place of death: Home hospice




Place of death: Home




Place of death: Residential institution




Place of death: Nursing home



Place of death: Hospice facility



Place of death: Other and unknown



UPDATED 11/17/2020

* 2020 data are provisional and subject to change.

** Current-year data lag about one week behind due to the time required for death certificates to be processed.

Place summary

| | | | 2020 deaths | 2020 deaths (%) | Average 2017-2019 | Average 2017-2019 (%) | Excess deaths (over..) | Average 2015-2019 | Average 2015-2019 (%) | Excess deaths (over..) |
|---------|---------------|-------------------------|-------------|-----------------|-------------------|-----------------------|------------------------|-------------------|-----------------------|------------------------|
| Week 45 | 11/2 - 11/8 | Hospital | 229 | 28% | 207 | 29% | 22 | 200 | 29% | 29 |
| | | Home hospice | 222 | 27% | 176 | 25% | 46 | 174 | 25% | 48 |
| | | Home | 140 | 17% | 106 | 15% | 34 | 103 | 15% | 37 |
| | | Residential institution | 115 | 14% | 111 | 15% | 4 | 106 | 15% | 9 |
| | | Nursing home | 53 | 6% | 62 | 9% | -9 | 65 | 9% | -12 |
| | | Hospice facility | 24 | 3% | 19 | 3% | 5 | 20 | 3% | 4 |
| | | Other/unknown | 42 | 5% | 37 | 5% | 5 | 33 | 5% | 9 |
| | | Total | | 825 | 100% | 717 | 100% | 108 | 701 | 100% |
| Week 44 | 10/26 - 11/1 | Hospital | 206 | 27% | 183 | 27% | 23 | 182 | 27% | 24 |
| | | Home hospice | 182 | 24% | 162 | 24% | 20 | 160 | 24% | 22 |
| | | Home | 153 | 20% | 113 | 17% | 40 | 107 | 16% | 46 |
| | | Residential institution | 119 | 16% | 112 | 16% | 7 | 110 | 16% | 9 |
| | | Nursing home | 35 | 5% | 57 | 8% | -22 | 59 | 9% | -24 |
| | | Hospice facility | 15 | 2% | 19 | 3% | -4 | 20 | 3% | -5 |
| | | Other/unknown | 49 | 6% | 34 | 5% | 15 | 36 | 5% | 13 |
| | | Total | | 759 | 100% | 680 | 100% | 79 | 674 | 100% |
| Week 43 | 10/19 - 10/25 | Hospital | 229 | 29% | 192 | 28% | 37 | 187 | 28% | 42 |
| | | Home hospice | 209 | 26% | 170 | 24% | 39 | 168 | 25% | 41 |
| | | Home | 131 | 17% | 101 | 14% | 30 | 100 | 15% | 31 |
| | | Residential institution | 104 | 13% | 111 | 16% | -7 | 110 | 16% | -6 |
| | | Nursing home | 51 | 6% | 67 | 10% | -16 | 61 | 9% | -10 |
| | | Hospice facility | 21 | 3% | 17 | 2% | 4 | 17 | 2% | 4 |
| | | Other/unknown | 47 | 6% | 40 | 6% | 7 | 35 | 5% | 12 |
| | | Total | | 792 | 100% | 697 | 100% | 95 | 678 | 100% |
| Week 42 | 10/12 - 10/18 | Hospital | 216 | 30% | 203 | 28% | 13 | 195 | 28% | 21 |
| | | Home hospice | 174 | 24% | 160 | 22% | 14 | 159 | 23% | 15 |
| | | Home | 115 | 16% | 111 | 15% | 4 | 108 | 15% | 7 |
| | | Residential institution | 96 | 13% | 112 | 16% | -16 | 112 | 16% | -16 |
| | | Nursing home | 51 | 7% | 71 | 10% | -20 | 67 | 10% | -16 |
| | | Hospice facility | 22 | 3% | 21 | 3% | 1 | 18 | 3% | 4 |
| | | Other/unknown | 53 | 7% | 42 | 6% | 11 | 39 | 6% | 14 |
| | | Total | | 727 | 100% | 720 | 100% | 7 | 697 | 100% |
| Week 41 | 10/5 - 10/11 | Hospital | 199 | 27% | 199 | 28% | 0 | 198 | 29% | 1 |
| | | Home hospice | 208 | 28% | 160 | 23% | 48 | 161 | 23% | 47 |
| | | Home | 112 | 15% | 110 | 16% | 2 | 104 | 15% | 8 |
| | | Residential institution | 99 | 13% | 107 | 15% | -8 | 108 | 16% | -9 |
| | | Nursing home | 53 | 7% | 62 | 9% | -9 | 66 | 10% | -13 |
| | | Hospice facility | 23 | 3% | 22 | 3% | 1 | 20 | 3% | 3 |
| | | Other/unknown | 53 | 7% | 40 | 6% | 13 | 35 | 5% | 18 |
| | | Total | | 747 | 100% | 700 | 100% | 47 | 692 | 100% |
| Week 40 | 9/28 - 10/4 | Hospital | 180 | 25% | 184 | 27% | -4 | 186 | 27% | -6 |
| | | Home hospice | 191 | 27% | 169 | 25% | 22 | 162 | 24% | 29 |
| | | Home | 114 | 16% | 108 | 16% | 6 | 104 | 15% | 10 |
| | | Residential institution | 100 | 14% | 103 | 15% | -3 | 102 | 15% | -2 |
| | | Nursing home | 55 | 8% | 61 | 9% | -6 | 64 | 9% | -9 |
| | | Hospice facility | 14 | 2% | 18 | 3% | -4 | 17 | 3% | -3 |
| | | Other/unknown | 62 | 9% | 41 | 6% | 21 | 42 | 6% | 20 |
| | | Total | | 716 | 100% | 684 | 100% | 32 | 677 | 100% |
| Week 39 | 9/21 - 9/27 | Hospital | 195 | 26% | 180 | 26% | 15 | 182 | 27% | 13 |
| | | Home hospice | 215 | 29% | 169 | 25% | 46 | 167 | 25% | 48 |
| | | Home | 125 | 17% | 105 | 15% | 20 | 102 | 15% | 23 |
| | | Residential institution | 103 | 14% | 113 | 17% | -10 | 105 | 15% | -2 |
| | | Nursing home | 45 | 6% | 56 | 8% | -11 | 65 | 10% | -20 |
| | | Hospice facility | 19 | 3% | 19 | 3% | 0 | 15 | 2% | 4 |
| | | Other/unknown | 43 | 6% | 43 | 6% | 0 | 42 | 6% | 1 |
| | | Total | | 745 | 100% | 685 | 100% | 60 | 679 | 100% |
| Week 38 | 9/14 - 9/20 | Hospital | 217 | 28% | 184 | 28% | 33 | 182 | 28% | 35 |
| | | Home hospice | 218 | 28% | 160 | 24% | 58 | 155 | 24% | 63 |
| | | Home | 125 | 16% | 98 | 15% | 27 | 101 | 16% | 24 |

Place summary

| | | | 2020 deaths | 2020 deaths (%) | Average 2017-2019 | Average 2017-2019 (.. | Excess deaths (ove.. | Average 2015-2019 | Average 2015-2019 (.. | Excess deaths (over.. |
|----------------|-------------|-------------------------|-------------|-----------------|-------------------|-----------------------|----------------------|-------------------|-----------------------|-----------------------|
| Week 38 | 9/14 - 9/20 | Residential institution | 108 | 14% | 103 | 16% | 5 | 105 | 16% | 3 |
| | | Nursing home | 43 | 6% | 58 | 9% | -15 | 59 | 9% | -16 |
| | | Hospice facility | 13 | 2% | 18 | 3% | -5 | 16 | 2% | -3 |
| | | Other/unknown | 52 | 7% | 31 | 5% | 21 | 34 | 5% | 18 |
| | | Total | | 776 | 100% | 652 | 100% | 124 | 652 | 100% |
| Week 37 | 9/7 - 9/13 | Hospital | 211 | 28% | 185 | 28% | 26 | 181 | 28% | 30 |
| | | Home hospice | 200 | 27% | 158 | 24% | 42 | 157 | 24% | 43 |
| | | Home | 118 | 16% | 107 | 16% | 11 | 106 | 16% | 12 |
| | | Residential institution | 108 | 14% | 91 | 14% | 17 | 93 | 14% | 15 |
| | | Nursing home | 42 | 6% | 58 | 9% | -16 | 60 | 9% | -18 |
| | | Hospice facility | 15 | 2% | 20 | 3% | -5 | 18 | 3% | -3 |
| | | Other/unknown | 55 | 7% | 37 | 6% | 18 | 38 | 6% | 17 |
| Total | | 749 | 100% | 657 | 100% | 92 | 653 | 100% | 96 | |
| Week 36 | 8/31 - 9/6 | Hospital | 175 | 24% | 187 | 29% | -12 | 183 | 28% | -8 |
| | | Home hospice | 195 | 27% | 151 | 24% | 44 | 159 | 25% | 36 |
| | | Home | 126 | 17% | 95 | 15% | 31 | 93 | 14% | 33 |
| | | Residential institution | 108 | 15% | 98 | 15% | 10 | 100 | 16% | 8 |
| | | Nursing home | 51 | 7% | 57 | 9% | -6 | 58 | 9% | -7 |
| | | Hospice facility | 12 | 2% | 16 | 2% | -4 | 18 | 3% | -6 |
| | | Other/unknown | 57 | 8% | 37 | 6% | 20 | 36 | 6% | 21 |
| Total | | 724 | 100% | 641 | 100% | 83 | 647 | 100% | 77 | |
| Week 35 | 8/24 - 8/30 | Hospital | 197 | 27% | 168 | 25% | 29 | 173 | 27% | 24 |
| | | Home hospice | 222 | 30% | 171 | 26% | 51 | 156 | 24% | 66 |
| | | Home | 118 | 16% | 101 | 15% | 17 | 101 | 16% | 17 |
| | | Residential institution | 93 | 13% | 102 | 15% | -9 | 101 | 16% | -8 |
| | | Nursing home | 40 | 5% | 64 | 10% | -24 | 61 | 9% | -21 |
| | | Hospice facility | 14 | 2% | 20 | 3% | -6 | 18 | 3% | -4 |
| | | Other/unknown | 48 | 7% | 39 | 6% | 9 | 38 | 6% | 10 |
| Total | | 732 | 100% | 665 | 100% | 67 | 648 | 100% | 84 | |
| Week 34 | 8/17 - 8/23 | Hospital | 214 | 28% | 179 | 28% | 35 | 185 | 29% | 29 |
| | | Home hospice | 191 | 25% | 158 | 25% | 33 | 158 | 24% | 33 |
| | | Home | 144 | 19% | 94 | 15% | 50 | 96 | 15% | 48 |
| | | Residential institution | 116 | 15% | 102 | 16% | 14 | 98 | 15% | 18 |
| | | Nursing home | 47 | 6% | 56 | 9% | -9 | 56 | 9% | -9 |
| | | Hospice facility | 22 | 3% | 20 | 3% | 2 | 20 | 3% | 2 |
| | | Other/unknown | 43 | 6% | 34 | 5% | 9 | 35 | 5% | 8 |
| Total | | 777 | 100% | 642 | 100% | 135 | 649 | 100% | 128 | |
| Week 33 | 8/10 - 8/16 | Hospital | 181 | 23% | 184 | 27% | -3 | 184 | 28% | -3 |
| | | Home hospice | 211 | 27% | 159 | 24% | 52 | 162 | 24% | 49 |
| | | Home | 163 | 21% | 106 | 16% | 57 | 101 | 15% | 62 |
| | | Residential institution | 98 | 13% | 97 | 14% | 1 | 100 | 15% | -2 |
| | | Nursing home | 47 | 6% | 57 | 9% | -10 | 59 | 9% | -12 |
| | | Hospice facility | 21 | 3% | 22 | 3% | -1 | 19 | 3% | 2 |
| | | Other/unknown | 61 | 8% | 45 | 7% | 16 | 42 | 6% | 19 |
| Total | | 782 | 100% | 670 | 100% | 112 | 666 | 100% | 116 | |
| Week 32 | 8/3 - 8/9 | Hospital | 207 | 27% | 169 | 26% | 38 | 165 | 26% | 42 |
| | | Home hospice | 195 | 25% | 154 | 24% | 41 | 150 | 24% | 45 |
| | | Home | 144 | 19% | 104 | 16% | 40 | 100 | 16% | 44 |
| | | Residential institution | 103 | 13% | 104 | 16% | -1 | 101 | 16% | 2 |
| | | Nursing home | 51 | 7% | 53 | 8% | -2 | 57 | 9% | -6 |
| | | Hospice facility | 13 | 2% | 23 | 4% | -10 | 19 | 3% | -6 |
| | | Other/unknown | 62 | 8% | 40 | 6% | 22 | 41 | 6% | 21 |
| Total | | 775 | 100% | 648 | 100% | 127 | 632 | 100% | 143 | |
| Week 31 | 7/27 - 8/2 | Hospital | 181 | 25% | 179 | 26% | 2 | 180 | 27% | 1 |
| | | Home hospice | 173 | 24% | 146 | 21% | 27 | 147 | 22% | 26 |
| | | Home | 144 | 20% | 115 | 17% | 29 | 106 | 16% | 38 |
| | | Residential institution | 119 | 16% | 117 | 17% | 2 | 108 | 16% | 11 |
| | | Nursing home | 47 | 6% | 62 | 9% | -15 | 64 | 10% | -17 |
| | | Hospice facility | 9 | 1% | 20 | 3% | -11 | 20 | 3% | -11 |

Place summary

| | | | 2020 deaths | 2020 deaths (%) | Average 2017-2019 | Average 2017-2019 (%) | Excess deaths (over..) | Average 2015-2019 | Average 2015-2019 (%) | Excess deaths (over..) |
|----------------|-------------|-------------------------|-------------|-----------------|-------------------|-----------------------|------------------------|-------------------|-----------------------|------------------------|
| Week 31 | 7/27 - 8/2 | Other/unknown | 58 | 8% | 39 | 6% | 19 | 38 | 6% | 20 |
| | Total | | 731 | 100% | 678 | 100% | 53 | 662 | 100% | 69 |
| Week 30 | 7/20 - 7/26 | Hospital | 203 | 28% | 180 | 27% | 23 | 176 | 27% | 27 |
| | | Home hospice | 179 | 25% | 158 | 24% | 21 | 154 | 24% | 25 |
| | | Home | 131 | 18% | 88 | 13% | 43 | 95 | 15% | 36 |
| | | Residential institution | 111 | 15% | 110 | 17% | 1 | 111 | 17% | 0 |
| | | Nursing home | 45 | 6% | 62 | 9% | -17 | 64 | 10% | -19 |
| | | Hospice facility | 16 | 2% | 25 | 4% | -9 | 21 | 3% | -5 |
| | | Other/unknown | 43 | 6% | 34 | 5% | 9 | 33 | 5% | 10 |
| | | Total | | 728 | 100% | 657 | 100% | 71 | 653 | 100% |
| Week 29 | 7/13 - 7/19 | Hospital | 199 | 27% | 171 | 26% | 28 | 175 | 26% | 24 |
| | | Home hospice | 205 | 27% | 171 | 26% | 34 | 170 | 25% | 35 |
| | | Home | 114 | 15% | 101 | 15% | 13 | 101 | 15% | 13 |
| | | Residential institution | 107 | 14% | 102 | 15% | 5 | 111 | 17% | -4 |
| | | Nursing home | 34 | 5% | 61 | 9% | -27 | 59 | 9% | -25 |
| | | Hospice facility | 27 | 4% | 22 | 3% | 5 | 20 | 3% | 7 |
| | | Other/unknown | 61 | 8% | 35 | 5% | 26 | 37 | 5% | 24 |
| | | Total | | 747 | 100% | 663 | 100% | 84 | 673 | 100% |
| Week 28 | 7/6 - 7/12 | Hospital | 186 | 26% | 185 | 27% | 1 | 180 | 27% | 6 |
| | | Home hospice | 206 | 29% | 166 | 25% | 40 | 161 | 24% | 45 |
| | | Home | 125 | 17% | 106 | 16% | 19 | 104 | 16% | 21 |
| | | Residential institution | 90 | 13% | 99 | 15% | -9 | 98 | 15% | -8 |
| | | Nursing home | 43 | 6% | 54 | 8% | -11 | 59 | 9% | -16 |
| | | Hospice facility | 9 | 1% | 24 | 3% | -15 | 20 | 3% | -11 |
| | | Other/unknown | 59 | 8% | 43 | 6% | 16 | 42 | 6% | 17 |
| | | Total | | 718 | 100% | 677 | 100% | 41 | 663 | 100% |
| Week 27 | 6/29 - 7/5 | Hospital | 195 | 26% | 187 | 28% | 8 | 183 | 28% | 12 |
| | | Home hospice | 231 | 30% | 152 | 23% | 79 | 155 | 23% | 76 |
| | | Home | 117 | 15% | 101 | 15% | 16 | 98 | 15% | 19 |
| | | Residential institution | 113 | 15% | 102 | 15% | 11 | 102 | 15% | 11 |
| | | Nursing home | 43 | 6% | 63 | 9% | -20 | 64 | 10% | -21 |
| | | Hospice facility | 13 | 2% | 20 | 3% | -7 | 19 | 3% | -6 |
| | | Other/unknown | 49 | 6% | 38 | 6% | 11 | 43 | 7% | 6 |
| | | Total | | 761 | 100% | 664 | 100% | 97 | 665 | 100% |
| Week 26 | 6/22 - 6/28 | Hospital | 143 | 21% | 177 | 27% | -34 | 177 | 26% | -34 |
| | | Home hospice | 178 | 26% | 159 | 24% | 19 | 166 | 25% | 12 |
| | | Home | 122 | 18% | 98 | 15% | 24 | 99 | 15% | 23 |
| | | Residential institution | 118 | 17% | 107 | 16% | 11 | 103 | 15% | 15 |
| | | Nursing home | 52 | 8% | 63 | 9% | -11 | 61 | 9% | -9 |
| | | Hospice facility | 20 | 3% | 20 | 3% | 0 | 20 | 3% | 0 |
| | | Other/unknown | 45 | 7% | 37 | 6% | 8 | 43 | 6% | 2 |
| | | Total | | 678 | 100% | 660 | 100% | 18 | 668 | 100% |
| Week 25 | 6/15 - 6/21 | Hospital | 194 | 26% | 184 | 27% | 10 | 194 | 28% | 0 |
| | | Home hospice | 186 | 25% | 171 | 25% | 15 | 162 | 23% | 24 |
| | | Home | 143 | 19% | 109 | 16% | 34 | 109 | 16% | 34 |
| | | Residential institution | 99 | 13% | 105 | 15% | -6 | 108 | 16% | -9 |
| | | Nursing home | 53 | 7% | 57 | 8% | -4 | 60 | 9% | -7 |
| | | Hospice facility | 14 | 2% | 22 | 3% | -8 | 20 | 3% | -6 |
| | | Other/unknown | 53 | 7% | 41 | 6% | 12 | 39 | 6% | 14 |
| | | Total | | 742 | 100% | 689 | 100% | 53 | 691 | 100% |
| Week 24 | 6/8 - 6/14 | Hospital | 203 | 27% | 183 | 27% | 20 | 179 | 28% | 24 |
| | | Home hospice | 202 | 27% | 147 | 22% | 55 | 145 | 23% | 57 |
| | | Home | 133 | 18% | 113 | 17% | 20 | 106 | 16% | 27 |
| | | Residential institution | 91 | 12% | 106 | 16% | -15 | 99 | 15% | -8 |
| | | Nursing home | 65 | 9% | 62 | 9% | 3 | 57 | 9% | 8 |
| | | Hospice facility | 13 | 2% | 23 | 3% | -10 | 21 | 3% | -8 |
| | | Other/unknown | 49 | 6% | 47 | 7% | 2 | 38 | 6% | 11 |
| | | Total | | 756 | 100% | 681 | 100% | 75 | 644 | 100% |
| Week | 6/1 - 6/7 | Hospital | 183 | 27% | 185 | 28% | -2 | 187 | 28% | -4 |

Place summary

| | | | 2020 deaths | 2020 deaths (%) | Average 2017-2019 | Average 2017-2019 (%) | Excess deaths (over..) | Average 2015-2019 | Average 2015-2019 (%) | Excess deaths (over..) |
|----------------|-------------|-------------------------|-------------|-----------------|-------------------|-----------------------|------------------------|-------------------|-----------------------|------------------------|
| Week 23 | 6/1 - 6/7 | Home hospice | 164 | 24% | 167 | 25% | -3 | 159 | 24% | 5 |
| | | Home | 113 | 17% | 105 | 16% | 8 | 109 | 16% | 4 |
| | | Residential institution | 95 | 14% | 103 | 15% | -8 | 107 | 16% | -12 |
| | | Nursing home | 55 | 8% | 56 | 8% | -1 | 54 | 8% | 1 |
| | | Hospice facility | 16 | 2% | 18 | 3% | -2 | 17 | 3% | -1 |
| | | Other/unknown | 45 | 7% | 33 | 5% | 12 | 34 | 5% | 11 |
| | | Total | | 671 | 100% | 667 | 100% | 4 | 668 | 100% |
| Week 22 | 5/25 - 5/31 | Hospital | 164 | 23% | 183 | 27% | -19 | 184 | 27% | -20 |
| | | Home hospice | 201 | 28% | 162 | 24% | 39 | 168 | 25% | 33 |
| | | Home | 141 | 19% | 97 | 14% | 44 | 96 | 14% | 45 |
| | | Residential institution | 99 | 14% | 110 | 16% | -11 | 109 | 16% | -10 |
| | | Nursing home | 55 | 8% | 66 | 10% | -11 | 63 | 9% | -8 |
| | | Hospice facility | 13 | 2% | 20 | 3% | -7 | 19 | 3% | -6 |
| | | Other/unknown | 55 | 8% | 41 | 6% | 14 | 37 | 6% | 18 |
| Total | | 728 | 100% | 679 | 100% | 49 | 677 | 100% | 51 | |
| Week 21 | 5/18 - 5/24 | Hospital | 187 | 24% | 199 | 28% | -12 | 194 | 28% | -7 |
| | | Home hospice | 219 | 29% | 164 | 23% | 55 | 161 | 23% | 58 |
| | | Home | 145 | 19% | 100 | 14% | 45 | 100 | 15% | 45 |
| | | Residential institution | 101 | 13% | 116 | 16% | -15 | 114 | 17% | -13 |
| | | Nursing home | 38 | 5% | 65 | 9% | -27 | 64 | 9% | -26 |
| | | Hospice facility | 13 | 2% | 26 | 4% | -13 | 23 | 3% | -10 |
| | | Other/unknown | 63 | 8% | 36 | 5% | 27 | 33 | 5% | 30 |
| Total | | 766 | 100% | 706 | 100% | 60 | 688 | 100% | 78 | |
| Week 20 | 5/11 - 5/17 | Hospital | 162 | 23% | 199 | 29% | -37 | 196 | 28% | -34 |
| | | Home hospice | 189 | 27% | 172 | 25% | 17 | 175 | 25% | 14 |
| | | Home | 114 | 16% | 95 | 14% | 19 | 100 | 15% | 14 |
| | | Residential institution | 128 | 18% | 105 | 15% | 23 | 103 | 15% | 25 |
| | | Nursing home | 44 | 6% | 55 | 8% | -11 | 57 | 8% | -13 |
| | | Hospice facility | 13 | 2% | 21 | 3% | -8 | 21 | 3% | -8 |
| | | Other/unknown | 49 | 7% | 41 | 6% | 8 | 38 | 6% | 11 |
| Total | | 699 | 100% | 687 | 100% | 12 | 690 | 100% | 9 | |
| Week 19 | 5/4 - 5/10 | Hospital | 169 | 24% | 199 | 29% | -30 | 197 | 28% | -28 |
| | | Home hospice | 186 | 26% | 169 | 24% | 17 | 174 | 25% | 12 |
| | | Home | 139 | 20% | 112 | 16% | 27 | 112 | 16% | 27 |
| | | Residential institution | 101 | 14% | 111 | 16% | -10 | 109 | 16% | -8 |
| | | Nursing home | 52 | 7% | 53 | 8% | -1 | 63 | 9% | -11 |
| | | Hospice facility | 20 | 3% | 18 | 3% | 2 | 18 | 3% | 2 |
| | | Other/unknown | 42 | 6% | 31 | 5% | 11 | 30 | 4% | 12 |
| Total | | 709 | 100% | 694 | 100% | 15 | 703 | 100% | 6 | |
| Week 18 | 4/27 - 5/3 | Hospital | 160 | 22% | 215 | 31% | -55 | 206 | 30% | -46 |
| | | Home hospice | 201 | 28% | 150 | 21% | 51 | 151 | 22% | 50 |
| | | Home | 140 | 20% | 112 | 16% | 28 | 103 | 15% | 37 |
| | | Residential institution | 112 | 16% | 102 | 14% | 10 | 104 | 15% | 8 |
| | | Nursing home | 46 | 6% | 65 | 9% | -19 | 65 | 9% | -19 |
| | | Hospice facility | 18 | 3% | 24 | 3% | -6 | 21 | 3% | -3 |
| | | Other/unknown | 37 | 5% | 35 | 5% | 2 | 34 | 5% | 3 |
| Total | | 714 | 100% | 703 | 100% | 11 | 683 | 100% | 31 | |
| Week 17 | 4/20 - 4/26 | Hospital | 196 | 26% | 182 | 26% | 14 | 185 | 27% | 11 |
| | | Home hospice | 201 | 26% | 155 | 23% | 46 | 161 | 23% | 40 |
| | | Home | 133 | 17% | 122 | 18% | 11 | 114 | 17% | 19 |
| | | Residential institution | 110 | 14% | 110 | 16% | 0 | 109 | 16% | 1 |
| | | Nursing home | 63 | 8% | 60 | 9% | 3 | 63 | 9% | 0 |
| | | Hospice facility | 22 | 3% | 24 | 4% | -2 | 24 | 3% | -2 |
| | | Other/unknown | 38 | 5% | 34 | 5% | 4 | 33 | 5% | 5 |
| Total | | 763 | 100% | 687 | 100% | 76 | 689 | 100% | 74 | |
| Week 16 | 4/13 - 4/19 | Hospital | 186 | 25% | 187 | 26% | -1 | 192 | 27% | -6 |
| | | Home hospice | 191 | 25% | 182 | 26% | 9 | 176 | 25% | 15 |
| | | Home | 143 | 19% | 112 | 16% | 31 | 110 | 16% | 33 |
| | | Residential institution | 126 | 17% | 111 | 16% | 15 | 109 | 15% | 17 |

Place summary

| | | | 2020 deaths | 2020 deaths (%) | Average 2017-2019 | Average 2017-2019 (.. | Excess deaths (ove.. | Average 2015-2019 | Average 2015-2019 (.. | Excess deaths (over.. |
|----------------|-------------|-------------------------|-------------|-----------------|-------------------|-----------------------|----------------------|-------------------|-----------------------|-----------------------|
| Week 16 | 4/13 - 4/19 | Nursing home | 57 | 8% | 52 | 7% | 5 | 60 | 9% | -3 |
| | | Hospice facility | 16 | 2% | 22 | 3% | -6 | 21 | 3% | -5 |
| | | Other/unknown | 38 | 5% | 42 | 6% | -4 | 41 | 6% | -3 |
| | Total | | 757 | 100% | 709 | 100% | 48 | 709 | 100% | 48 |
| Week 15 | 4/6 - 4/12 | Hospital | 182 | 24% | 195 | 28% | -13 | 186 | 27% | -4 |
| | | Home hospice | 212 | 28% | 166 | 24% | 46 | 163 | 24% | 49 |
| | | Home | 140 | 18% | 110 | 16% | 30 | 108 | 16% | 32 |
| | | Residential institution | 119 | 16% | 116 | 17% | 3 | 118 | 17% | 1 |
| | | Nursing home | 46 | 6% | 56 | 8% | -10 | 59 | 9% | -13 |
| | | Hospice facility | 18 | 2% | 19 | 3% | -1 | 17 | 2% | 1 |
| | | Other/unknown | 40 | 5% | 42 | 6% | -2 | 40 | 6% | 0 |
| Total | | 757 | 100% | 705 | 100% | 52 | 691 | 100% | 66 | |
| Week 14 | 3/30 - 4/5 | Hospital | 199 | 25% | 207 | 28% | -8 | 201 | 28% | -2 |
| | | Home hospice | 213 | 27% | 188 | 26% | 25 | 174 | 24% | 39 |
| | | Home | 131 | 16% | 111 | 15% | 20 | 113 | 16% | 18 |
| | | Residential institution | 122 | 15% | 114 | 16% | 8 | 106 | 15% | 16 |
| | | Nursing home | 66 | 8% | 66 | 9% | 0 | 67 | 9% | -1 |
| | | Hospice facility | 17 | 2% | 21 | 3% | -4 | 19 | 3% | -2 |
| | | Other/unknown | 52 | 7% | 29 | 4% | 23 | 32 | 4% | 20 |
| Total | | 800 | 100% | 736 | 100% | 64 | 711 | 100% | 89 | |
| Week 13 | 3/23 - 3/29 | Hospital | 213 | 28% | 210 | 29% | 3 | 204 | 29% | 9 |
| | | Home hospice | 188 | 25% | 167 | 23% | 21 | 170 | 24% | 18 |
| | | Home | 134 | 18% | 117 | 16% | 17 | 112 | 16% | 22 |
| | | Residential institution | 125 | 16% | 104 | 14% | 21 | 111 | 16% | 14 |
| | | Nursing home | 51 | 7% | 62 | 9% | -11 | 61 | 9% | -10 |
| | | Hospice facility | 14 | 2% | 21 | 3% | -7 | 21 | 3% | -7 |
| | | Other/unknown | 35 | 5% | 37 | 5% | -2 | 34 | 5% | 1 |
| Total | | 760 | 100% | 718 | 100% | 42 | 713 | 100% | 47 | |
| Week 12 | 3/16 - 3/22 | Hospital | 241 | 30% | 211 | 28% | 30 | 205 | 28% | 36 |
| | | Home hospice | 186 | 23% | 176 | 24% | 10 | 173 | 24% | 13 |
| | | Home | 146 | 18% | 117 | 16% | 29 | 117 | 16% | 29 |
| | | Residential institution | 111 | 14% | 118 | 16% | -7 | 117 | 16% | -6 |
| | | Nursing home | 51 | 6% | 66 | 9% | -15 | 63 | 9% | -12 |
| | | Hospice facility | 13 | 2% | 20 | 3% | -7 | 19 | 3% | -6 |
| | | Other/unknown | 50 | 6% | 35 | 5% | 15 | 34 | 5% | 16 |
| Total | | 798 | 100% | 743 | 100% | 55 | 728 | 100% | 70 | |
| Week 11 | 3/9 - 3/15 | Hospital | 221 | 30% | 215 | 28% | 6 | 217 | 29% | 4 |
| | | Home hospice | 186 | 25% | 171 | 22% | 15 | 170 | 22% | 16 |
| | | Home | 124 | 17% | 130 | 17% | -6 | 121 | 16% | 3 |
| | | Residential institution | 115 | 16% | 123 | 16% | -8 | 121 | 16% | -6 |
| | | Nursing home | 41 | 6% | 69 | 9% | -28 | 72 | 9% | -31 |
| | | Hospice facility | 23 | 3% | 25 | 3% | -2 | 24 | 3% | -1 |
| | | Other/unknown | 30 | 4% | 42 | 5% | -12 | 34 | 5% | -4 |
| Total | | 740 | 100% | 774 | 100% | -34 | 758 | 100% | -18 | |
| Week 10 | 3/2 - 3/8 | Hospital | 201 | 26% | 219 | 29% | -18 | 215 | 29% | -14 |
| | | Home hospice | 181 | 24% | 164 | 22% | 17 | 170 | 23% | 11 |
| | | Home | 133 | 17% | 128 | 17% | 5 | 120 | 16% | 13 |
| | | Residential institution | 126 | 16% | 120 | 16% | 6 | 114 | 15% | 12 |
| | | Nursing home | 68 | 9% | 70 | 9% | -2 | 72 | 10% | -4 |
| | | Hospice facility | 21 | 3% | 23 | 3% | -2 | 21 | 3% | 0 |
| | | Other/unknown | 37 | 5% | 30 | 4% | 7 | 31 | 4% | 6 |
| Total | | 767 | 100% | 754 | 100% | 13 | 743 | 100% | 24 | |
| Week 9 | 2/24 - 3/1 | Hospital | 208 | 28% | 217 | 30% | -9 | 206 | 29% | 2 |
| | | Home hospice | 171 | 23% | 168 | 23% | 3 | 164 | 23% | 7 |
| | | Home | 119 | 16% | 119 | 17% | 0 | 119 | 17% | 0 |
| | | Residential institution | 119 | 16% | 103 | 14% | 16 | 107 | 15% | 12 |
| | | Nursing home | 55 | 7% | 64 | 9% | -9 | 64 | 9% | -9 |
| | | Hospice facility | 25 | 3% | 16 | 2% | 9 | 16 | 2% | 9 |
| | | Other/unknown | 48 | 6% | 32 | 4% | 16 | 33 | 5% | 15 |

Place summary

| | | 2020 deaths | 2020 deaths (%) | Average 2017-2019 | Average 2017-2019 (%) | Excess deaths (over..) | Average 2015-2019 | Average 2015-2019 (%) | Excess deaths (over..) | |
|---------------|-------------|-------------------------|-----------------|-------------------|-----------------------|------------------------|-------------------|-----------------------|------------------------|-----|
| Week 9 | Total | 745 | 100% | 719 | 100% | 26 | 710 | 100% | 35 | |
| Week 8 | 2/17 - 2/23 | Hospital | 214 | 29% | 220 | 30% | -6 | 210 | 29% | 4 |
| | | Home hospice | 172 | 24% | 166 | 22% | 6 | 167 | 23% | 5 |
| | | Home | 132 | 18% | 114 | 15% | 18 | 108 | 15% | 24 |
| | | Residential institution | 109 | 15% | 127 | 17% | -18 | 122 | 17% | -13 |
| | | Nursing home | 59 | 8% | 56 | 8% | 3 | 59 | 8% | 0 |
| | | Hospice facility | 17 | 2% | 21 | 3% | -4 | 20 | 3% | -3 |
| | | Other/unknown | 27 | 4% | 34 | 5% | -7 | 34 | 5% | -7 |
| Total | | 730 | 100% | 738 | 100% | -8 | 720 | 100% | 10 | |
| Week 7 | 2/10 - 2/16 | Hospital | 229 | 29% | 203 | 28% | 26 | 199 | 27% | 30 |
| | | Home hospice | 193 | 25% | 178 | 24% | 15 | 176 | 24% | 17 |
| | | Home | 115 | 15% | 112 | 15% | 3 | 113 | 15% | 2 |
| | | Residential institution | 126 | 16% | 117 | 16% | 9 | 119 | 16% | 7 |
| | | Nursing home | 62 | 8% | 67 | 9% | -5 | 68 | 9% | -6 |
| | | Hospice facility | 25 | 3% | 23 | 3% | 2 | 21 | 3% | 4 |
| | | Other/unknown | 36 | 5% | 34 | 5% | 2 | 35 | 5% | 1 |
| Total | | 786 | 100% | 735 | 100% | 51 | 731 | 100% | 55 | |
| Week 6 | 2/3 - 2/9 | Hospital | 215 | 29% | 226 | 30% | -11 | 223 | 29% | -8 |
| | | Home hospice | 183 | 25% | 173 | 23% | 10 | 175 | 23% | 8 |
| | | Home | 134 | 18% | 116 | 15% | 18 | 119 | 16% | 15 |
| | | Residential institution | 97 | 13% | 124 | 16% | -27 | 117 | 15% | -20 |
| | | Nursing home | 49 | 7% | 68 | 9% | -19 | 72 | 9% | -23 |
| | | Hospice facility | 16 | 2% | 18 | 2% | -2 | 20 | 3% | -4 |
| | | Other/unknown | 37 | 5% | 30 | 4% | 7 | 30 | 4% | 7 |
| Total | | 731 | 100% | 755 | 100% | -24 | 757 | 100% | -26 | |
| Week 5 | 1/27 - 2/2 | Hospital | 214 | 29% | 214 | 30% | 0 | 212 | 30% | 2 |
| | | Home hospice | 172 | 24% | 168 | 24% | 4 | 169 | 24% | 3 |
| | | Home | 109 | 15% | 106 | 15% | 3 | 108 | 15% | 1 |
| | | Residential institution | 120 | 17% | 110 | 16% | 10 | 114 | 16% | 6 |
| | | Nursing home | 49 | 7% | 61 | 9% | -12 | 62 | 9% | -13 |
| | | Hospice facility | 23 | 3% | 23 | 3% | 0 | 20 | 3% | 3 |
| | | Other/unknown | 39 | 5% | 28 | 4% | 11 | 28 | 4% | 11 |
| Total | | 726 | 100% | 711 | 100% | 15 | 713 | 100% | 13 | |
| Week 4 | 1/20 - 1/26 | Hospital | 198 | 26% | 240 | 31% | -42 | 231 | 30% | -33 |
| | | Home hospice | 194 | 26% | 167 | 22% | 27 | 168 | 22% | 26 |
| | | Home | 134 | 18% | 129 | 17% | 5 | 128 | 17% | 6 |
| | | Residential institution | 115 | 15% | 116 | 15% | -1 | 113 | 15% | 2 |
| | | Nursing home | 55 | 7% | 67 | 9% | -12 | 70 | 9% | -15 |
| | | Hospice facility | 26 | 3% | 18 | 2% | 8 | 18 | 2% | 8 |
| | | Other/unknown | 35 | 5% | 37 | 5% | -2 | 34 | 4% | 1 |
| Total | | 757 | 100% | 774 | 100% | -17 | 762 | 100% | -5 | |
| Week 3 | 1/13 - 1/19 | Hospital | 228 | 30% | 240 | 30% | -12 | 231 | 30% | -3 |
| | | Home hospice | 184 | 24% | 181 | 22% | 3 | 167 | 22% | 17 |
| | | Home | 122 | 16% | 135 | 17% | -13 | 124 | 16% | -2 |
| | | Residential institution | 122 | 16% | 124 | 15% | -2 | 122 | 16% | 0 |
| | | Nursing home | 51 | 7% | 71 | 9% | -20 | 73 | 9% | -22 |
| | | Hospice facility | 21 | 3% | 23 | 3% | -2 | 20 | 3% | 1 |
| | | Other/unknown | 36 | 5% | 34 | 4% | 2 | 34 | 4% | 2 |
| Total | | 764 | 100% | 808 | 100% | -44 | 770 | 100% | -6 | |
| Week 2 | 1/6 - 1/12 | Hospital | 229 | 30% | 251 | 30% | -22 | 233 | 29% | -4 |
| | | Home hospice | 182 | 24% | 180 | 22% | 2 | 168 | 21% | 14 |
| | | Home | 129 | 17% | 140 | 17% | -11 | 132 | 17% | -3 |
| | | Residential institution | 104 | 14% | 129 | 16% | -25 | 129 | 16% | -25 |
| | | Nursing home | 50 | 7% | 71 | 9% | -21 | 71 | 9% | -21 |
| | | Hospice facility | 16 | 2% | 25 | 3% | -9 | 23 | 3% | -7 |
| | | Other/unknown | 47 | 6% | 37 | 4% | 10 | 35 | 4% | 12 |
| Total | | 757 | 100% | 834 | 100% | -77 | 792 | 100% | -35 | |